

=> IFW: Scan as Doc Code: SRNT <=  
Doc Date:

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

### **Serial Number:**

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

Day : Monday  
 Date: 3/27/2006  
 Time: 11:07:20

# PALM INTRANET

## Inventor Information for 10/633329

| Inventor Name      | City         | State/Country |
|--------------------|--------------|---------------|
| GOODE, PAUL V. JR. | MURRIETA     | CALIFORNIA    |
| BRAUKER, JAMES H.  | SAN DIEGO    | CALIFORNIA    |
| KAMATH, APURV U.   | SOLANA BEACH | CALIFORNIA    |
| THROWER, JAMES P.  | SAN DIEGO    | CALIFORNIA    |

[Appln.Info](#) [Contents](#) [Petition Info](#) [Atty/Agent Info](#) [Continuity Data](#) [Foreign Data](#)

Search Another: Application#

or Patent#

PCT /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

|                  |       |          |  |                                      |                            |                          |
|------------------|-------|----------|--|--------------------------------------|----------------------------|--------------------------|
| US 20060040402 A | US-PG | 20060223 | System and methods for processing analyte sensor   | 436/14                               | 701/22                     | Brauker; James H. et al  |
| US 20060036144 A | US-PG | 20060216 | TRANSCUTANEOUS ANALYTE SENSOR  | 600/34                               |                            | Brister; Mark et al.     |
| US 20060036143 A | US-PG | 20060216 | TRANSCUTANEOUS ANALYTE SENSOR  | 600/34                               |                            | Brister; Mark et al.     |
| US 20060036142 A | US-PG | 20060216 | TRANSCUTANEOUS ANALYTE SENSOR  | 600/34                               |                            | Brister; Mark et al.     |
| US 20060036141 A | US-PG | 20060216 | TRANSCUTANEOUS ANALYTE SENSOR  | 600/34                               |                            | Kamath; Apurv Ullas e    |
| US 20060036139 A | US-PG | 20060216 | TRANSCUTANEOUS ANALYTE SENSOR  | 600/34                               |                            | Brister; Mark et al.     |
| US 20060020192 A | US-PG | 20060126 | TRANSCUTANEOUS ANALYTE SENSOR  | 600/34                               |                            | Brister; Mark et al.     |
| US 20060020191 A | US-PG | 20060126 | TRANSCUTANEOUS ANALYTE SENSOR  | 600/34                               |                            | Brister; Mark et al.     |
| US 20060020190 A | US-PG | 20060126 | TRANSCUTANEOUS ANALYTE SENSOR  | 600/34                               |                            | Kamath; Apurv Ullas e    |
| US 20060020188 A | US-PG | 20060126 | TRANSCUTANEOUS ANALYTE SENSOR  | 600/34                               |                            | Kamath; Apurv Ullas e    |
| US 20060020187 A | US-PG | 20060126 | TRANSCUTANEOUS ANALYTE SENSOR  | 600/34                               |                            | Brister; Mark et al.     |
| US 20060020186 A | US-PG | 20060126 | TRANSCUTANEOUS ANALYTE SENSOR  | 600/34                               |                            | Brister; Mark et al.     |
| US 20060019327 A | US-PG | 20060126 | TRANSCUTANEOUS ANALYTE SENSOR  | 435/25<br>600/31                     | 427/21<br>600/31           | Brister; Mark et al.     |
| US 20060016700 A | US-PG | 20060126 | TRANSCUTANEOUS ANALYTE SENSOR  | 205/77<br>205/79                     | 204/40<br>205/79           | Brister; Mark et al.     |
| US 20060015024 A | US-PG | 20060119 | Transcutaneous medical device with variable stiffness                                    | 600/34                               |                            | Brister; Mark et al.     |
| US 20060015020 A | US-PG | 20060119 | SYSTEMS AND METHODS FOR MANUFACTURE ANALYTE-MEASURING DEVICE INCLUDING A MEMBRANE SYSTEM | 600/30                               | 156/60                     | Neale; Paul et al.       |
| US 20050251083 A | US-PG | 20051110 | Biointerface with macro-micro-architecture   | 602/41                               |                            | Carr-Brendel, Victoria   |
| US 20050245799 A | US-PG | 20051103 | IMPLANTABLE ANALYSIS SENSOR  | 600/34                               | 600/30                     | Brauker, James H. et al  |
| US 20050245795 A | US-PG | 20051103 | IMPLANTABLE ANALYSIS SENSOR  | 600/30                               | 128/90                     | Goode, Paul V. Jr. et al |
| US 20050242479 A | US-PG | 20051103 | IMPLANTABLE ANALYSIS SENSOR  | 264/65<br>204/40<br>204/40<br>600/34 | 204/40<br>204/40<br>600/34 | Petisce, James R. et al. |
| US 20050216068 A | US-PG | 20050929 | Ectopic beat detection algorithm for implantable cardiac rhythm management               | 607/25                               | 600/51                     | Lee, Kent et al.         |

|                  |       |          |   |                  |                  |                          |
|------------------|-------|----------|---|------------------|------------------|--------------------------|
|                  |       |          | management device   |                  |                  |                          |
| US 20050203360 A | US-PG | 20050915 | SIGNAL PROCESSING CONTINUOUS ANALY SENSOR                           | 600/34           |                  | Brauker, James H. et al  |
| US 20050192557 A | US-PG | 20050901 | INTEGRATED DELIVE DEVICE FOR CONTIN GLUCOSE SENSOR                  | 604/50           |                  | Brauker, James H. et al  |
| US 20050187720 A | US-PG | 20050825 | SYSTEM AND METHO PROCESSING ANALY SENSOR DATA                       | 702/22           |                  | Goode, Paul V. Jr. et al |
| US 20050161346 A | US-PG | 20050728 | Systems and methods for improving electrochemical sensors           | 205/79           | 205/77           | Simpson, Peter et al.    |
| US 20050154271 A | US-PG | 20050714 | INTEGRATED RECEIV CONTINUOUS ANALY SENSOR                           | 600/34           | 424/9.1          | Rasdal, Andrew et al.    |
| US 20050143635 A | US-PG | 20050630 | Calibration techniques fo continuous analyte senso                  | 600/34           | 600/36           | Kamath, Apurv Ullas e    |
| US 20050115832 A | US-PG | 20050602 | Electrode systems for electrochemical sensors                       | 204/40           | 204/40           | Simpson, Peter C. et al  |
| US 20050112169 A | US-PG | 20050526 | Porous membranes for us implantable devices                         | 424/42           | 424/93           | Brauker, James H. et al  |
| US 20050103625 A | US-PG | 20050519 | Sensor head for use with implantable devices                        | 204/40           |                  | Rhodes, Rathbun et al.   |
| US 20050056552 A | US-PG | 20050317 | Increasing bias for oxyge production in an electrod                 | 205/78           | 204/40           | Simpson, Peter C. et al  |
| US 20050051440 A | US-PG | 20050310 | Electrochemical sensors electrode systems with in oxygen generation | 205/77           | 204/40<br>205/77 | Simpson, Peter C. et al  |
| US 20050051427 A | US-PG | 20050310 | Rolled electrode array an method for manufacture                    | 204/41           | 427/58           | Brauker, James H. et al  |
| US 20050043768 A | US-PG | 20050224 | Multiplexed medical dev with standard header                        | 607/32           | 607/9            | Goode, Paul V.           |
| US 20050043598 A | US-PG | 20050224 | Systems and methods for signal artifacts in a gluco data stream     | 600/31<br>600/36 | 600/34<br>600/36 | Goode, Paul V. JR. et a  |
| US 20050038350 A | US-PG | 20050217 | Biopotential signal sourc separation using source impedances        | 600/50           |                  | Kamath, Apurv et al.     |
| US 20050033132 A | US-PG | 20050210 | Analyte measuring devic   | 600/34           | 604/89           | Shults, Mark C. et al.   |
| US 20050031689 A | US-PG | 20050210 | Biointerface membranes incorporating bioactive a                    | 424/47           | 424/48           | Shults, Mark et al.      |
| US 20050027463 A | US-PG | 20050203 | System and methods for processing analyte sensor                    | 702/22           | 436/14           | Goode, Paul V. JR. et a  |
| US 20050027462 A | US-PG | 20050203 | System and methods for processing analyte sensor                    | 702/22           |                  | Goode, Paul V. JR. et a  |

|                  |       |          |  |  |                                      |                           |
|------------------|-------|----------|--|--|--------------------------------------|---------------------------|
| US 20050027181 A | US-PG | 20050203 | System and methods for processing analyte sensor                               | 600/36<br>600/30                       | 128/92<br>600/30                     | Goode, Paul V. JR. et al  |
| US 20050027180 A | US-PG | 20050203 | System and methods for processing analyte sensor                               | 600/36                                 | 128/92                               | Goode, Paul V. JR. et al  |
| US 20040230243 A | US-PG | 20041118 | Noise canceling cardiac electrode  | 607/27                                 |                                      | Haefner, Paul et al.      |
| US 20040220629 A | US-PG | 20041104 | Subcutaneous cardiac sensing and stimulation system employing a blood sensor   | 607/6                                  | 607/17                               | Kamath, Apurv et al.      |
| US 20040215258 A | US-PG | 20041028 | Subcutaneous cardiac rhythm management   | 607/9                                  | 607/4                                | Lovett, Eric G. et al.    |
| US 20040199059 A | US-PG | 20041007 | Optimized sensor geometry for implantable glucose sensor                       | 600/30                                 | 600/36                               | Brauker, James H. et al   |
| US 20040186362 A | US-PG | 20040923 | Membrane for use with implantable devices                                      | 600/31                                 | 623/23                               | Brauker, James H. et al   |
| US 20040010291 A | US-PG | 20040115 | Method and apparatus for assessing and treating atrial fibrillation risk       | 607/5                                  | 600/51                               | Wagner, Darrell O. et al  |
| US 20030158584 A | US-PG | 20030821 | Chronically-implanted device for sensing and therapy                           | 607/2                                  |                                      | Cates, Adam W. et al.     |
| US 20030088303 A | US-PG | 20030508 | Multiplexed Medical device with standard header                                | 607/12                                 |                                      | Goode, Paul V.            |
| US 20030032874 A | US-PG | 20030213 | Sensor head for use with implantable devices                                   | 600/34<br>600/36<br>73/61.4            | 600/36<br>600/36<br>73/61.4          | Rhodes, Rathbun et al.    |
| US 20030023317 A | US-PG | 20030130 | Membrane for use with implantable devices                                      | 623/23                                 | 623/23                               | Brauker, James H. et al   |
| US 6931327 B2    | USPAT | 20050816 | System and methods for processing analyte sensor                               | 702/22                                 |                                      | Goode, Jr.; Paul V. et al |
| US 6859667 B2    | USPAT | 20050222 | Multiplexed medical device with standard header                                | 607/12                                 |                                      | Goode; Paul V.            |
| US 6773458 B1    | USPAT | 20040810 | Angiogenic tissue implant and methods  | 623/11<br>623/23                       | 424/42<br>623/23                     | Brauker; James H. et al   |
| US 6702857 B2    | USPAT | 20040309 | Membrane for use with implantable devices                                      | 623/23                                 | 424/42                               | Brauker; James H. et al   |
| US 6520997 B1    | USPAT | 20030218 | Porous three dimensional   | 623/23                                 | 623/23                               | Pekkarinen; Michael O     |
| US 6517571 B1    | USPAT | 20030211 | Vascular graft with improved surfaces  | 623/1.1                                |                                      | Brauker; James Howard     |
| US 6156305 A     | USPAT | 20001205 | Implanted tumor cells for prevention and treatment                             | 424/93<br>435/32<br>435/36<br>435/37   | 424/93<br>435/32<br>435/36<br>435/37 | Brauker; James H. et al   |
| US D426698 S     | USPAT | 20000620 | Beverage container for administering to a person                               | D7/305                                 |                                      | Chiapperini; Michael L    |
| US 6060640 A     | USPAT | 20000509 | Multiple-layer, formed-in immunoisolation membrane structures for implantation | 623/23<br>623/1.4<br>623/13<br>623/2.1 | 623/1.4<br>623/13<br>623/2.1         | Pauley; Robin G. et al.   |

|              |      |          |  |         |  |                          |
|--------------|------|----------|--|---------|--|--------------------------|
|              |      |          | in host tissue                                     |         | 623/20<br>623/23<br>623/23<br>623/3.1<br>623/66          |                          |
| US 5964804 A | USPA | 19991012 | Close vascularization im material                  | 424/42  | 424/42<br>424/42<br>435/29<br>604/89<br>604/89           | Brauker; James H. et al  |
| US 5964261 A | USPA | 19991012 | Implantation assembly                              | 141/32  | 141/10<br>141/31<br>141/32<br>141/32<br>206/43<br>424/42 | Neuenfeldt; Steven et a  |
| US 5882354 A | USPA | 19990316 | Close vascularization im material                  | 424/42  | 424/42<br>435/28<br>435/39<br>435/39<br>623/92           | Brauker; James H. et al  |
| US 5807406 A | USPA | 19980915 | Porous microfabricated p membrane structures       | 424/42  | 424/42<br>433/20   | Brauker; James H. et al  |
| US 5800529 A | USPA | 19980901 | Close vascularization im material                  | 623/2.3 | 424/42<br>424/42<br>435/29<br>604/89<br>604/89           | Brauker; James H. et al  |
| US 5782912 A | USPA | 19980721 | Close vascularization im material                  | 424/42  | 424/42<br>435/29<br>604/89<br>604/89                     | Brauker; James H. et al  |
| US 5741330 A | USPA | 19980421 | Close vascularization im material                  | 424/42  | 424/42<br>424/42<br>424/42<br>623/92                     | Brauker; James H. et al  |
| US 5733336 A | USPA | 19980331 | Ported tissue implant sys methods of using same    | 435/32  | 128/89   | Neuenfeldt; Steven et a  |
| US 5713888 A | USPA | 19980203 | Tissue implant systems                             | 604/89  | 128/89<br>424/42<br>604/89                               | Neuenfeldt; Steven et a  |
| US 5653756 A | USPA | 19970805 | Closed porous chambers implanting tissue in a hos  | 623/11  | 424/42<br>424/42<br>623/90                               | Clarke; Robert A. et al. |
| US 5593440 A | USPA | 19970114 | Tissue implant systems a methods for sustaining vi | 424/42  | 424/42   | Brauker; James H. et al  |

|              |       |          |   |  |  |                           |
|--------------|-------|----------|---|--|--|---------------------------|
|              |       |          | cell densities within a ho  |  |  |                           |
| US 5569462 A | USPAI | 19961029 | Methods for enhancing vascularization of implants                                     | 424/42<br>514/96<br>604/89<br>604/89<br>623/91   | 424/42<br>514/96<br>604/89<br>604/89<br>623/91   | Martinson; Laura A. et al |
| US 5549675 A | USPAI | 19960827 | Method for implanting tissue in a host  | 435/32<br>623/90   | 424/93<br>623/90   | Neuenfeldt; Steven et al  |
| US 5545223 A | USPAI | 19960813 | Ported tissue implant system and methods of using same                                | 435/32<br>424/42<br>623/90   | 424/42<br>424/42<br>623/90   | Neuenfeldt; Steven et al  |
| US 5453278 A | USPAI | 19950926 | Laminated barriers for tissue implants  | 424/42<br>424/42<br>424/42<br>435/28<br>435/39<br>604/89<br>604/89<br>623/23<br>623/90<br>623/91 | 424/42<br>424/42<br>424/42<br>435/28<br>435/39<br>604/89<br>604/89<br>623/23<br>623/90<br>623/91 | Chan; Eddie K. M. et al   |
| US 5344454 A | USPAI | 19940906 | Closed porous chambers for implanting tissue in a host                                | 623/23<br>424/42<br>424/42<br>435/29<br>604/89<br>604/89   | 424/42<br>424/42<br>435/29<br>604/89<br>604/89   | Clarke; Robert A et al    |
| US 5314471 A | USPAI | 19940524 | Tissue implant systems and methods for sustaining viable cell densities within a host | 623/23<br>424/42<br>424/42<br>604/89<br>604/89   | 424/42<br>424/42<br>604/89<br>604/89   | Brauker; James H. et al   |